



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,606	04/05/2006	Yuji Chiba	285131US2PCT	4210
22850	7590	01/06/2009		
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER SALATA, ANTHONY J	
			ART UNIT	PAPER NUMBER
			2837	
			NOTIFICATION DATE	DELIVERY MODE
			01/06/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/574,606	Applicant(s) CHIBA, YUJI	
	Examiner Jonathan Salata	Art Unit 2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 4-5-06, 5-15-07 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>4-5-06, 11-7-07, 11-11-08</u> . | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND
TRADEMARKS
Washington, D.C. 20231

Paper No:20081218
Application No:10/574606
Filing Date: April 5,2006

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. It should be brief but technically accurate and descriptive, preferably from two to seven words. See 37 CFR 1.72(a).

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mearns et al (6863161) and Hida et al (JP 11228046).

Mearns teaches in figures 1-2, an elevator telemonitoring system which utilizes a monitoring terminal 8 which transmits data from cameras 3,4,5 to a maintenance center 9 for analysis. The link may consist of telephone or internet connection, col. 4 lines 50-53. The data is transmitted during a test run for the determination of future faults which may be enacted upon.

Mearns et al does not illustrate data transmission based on a current fault detection.

Art Unit: 2837

Hida et al teaches that the use of data collection from cameras and microphones from the inside of an elevator may be transmitted to a remote location and will detect during normal operation and that corrective actions may be sent back to the elevator controller from the remote local.

Mearns et al states on col. 2, lines 18-36, that the use of the Hida et al system is known within the art and that Mearns et al is an improvement over the art. Thus to utilize known art within the system of Mearns et al would have been an obvious engineering design choice to one of ordinary skill in the art.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Fukushima et al., Hummert et al., Whynacht et al., Mandel et al., Schneida et al., Harada et al., Kindberg et al. Mandel et al., Schneida et al., Whynacht et al and Yamakawa are cited to illustrate similar elevator telemonitoring systems..

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Any inquiry of a **general nature** should be directed to the **Group receptionist whose telephone number is (571) 272-2800.**

Information regarding the STATUS of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). The Fax Center number is (571) 273-8300.

For assistance in **Patent procedure, fees or general Patent questions** calls should be directed to the **Inventors Assistance Center (IAC) whose telephone number is 800-PTO-9199 or 800-786-9199**. Assistance is also available on the Internet at www.uspto.gov.

For requesting copies of Cited Art, Office Actions or the like, response to Status Letters, lost papers or files or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 571-272-2800 or by fax at 571-273-8300.

Art Unit: 2837

Any inquiry concerning **this communication or earlier communications from the examiner** should be directed to **Jonathan Salata whose telephone number is (571) 272-2073**.

The examiner does not have as detailed access as the previously listed numbers with regard to status or general problem solving. The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Walter Benson, can be reached on (571) 272-2800 ext 37.

ajs

January 3, 2009

/Jonathan Salata/
JONATHAN SALATA
PRIMARY EXAMINER
ART UNIT 2837